

## 6

## 참고 문헌

1. 구병삼. 임상 부인과 내분비학. 제2판. 서울: 고려의학, 2001.
2. 박윤석, 강길전. 원발무월경에 관한 세포유전학적 연구. 대한산부회지 1999;42:814-20.
3. 이선경, 허주엽, 김승보, 목정은. 원발성 무월경환자 60명에 대한 세포유전학적 및 임상적 고찰. 대한산부회지 1985;28:1703-12.
4. 이성재, 신정규, 최원준, 이순애, 이종학, 백원영. 완전형 남성호르몬 불감증후군에서 골반경하 성선제거술 2례. 대한산부회지 1999;42:2396-401.
5. 이정호. 원발성 무월경의 임상적 고찰. 대한산부회지 2002;45:1045-51.
6. 이형중, 서영옥. 무월경의 원인분석과 치료성적. 대한산부회지 1993;36:490-6.
7. 채희동, 강은희, 추형식, 김정훈, 강병문, 장윤석. 무월경 여성에서의 원인적 분류에 따른 임상적 고찰. 대한산부회지 1999;42:975-80.
8. 최영민, 구승엽, 채호진, 정현정, 김기동, 김동훈 등. 원발성 무월경의 원인별 빈도. 대한산부회지 2001;44:1834-7.
9. 최옥환, 이규섭, 운만수, 김원희. 원발성 무월경에 대한 임상적 및 세포유전학적 고찰. 대한산부회지 1998;41:2730-8.
10. 허의중. 무월경의 원인분석과 클로미펜자극검사에 의한 기능적 분류의 효능성 평가. 대한산부회지 1996;39:1704-10.
11. Acar A, Balci O, Karatayli R, Capar M, Colakoglu MC. The treatment of 65 women with imperforate hymen by a central incision and application of Foley catheter. Br J Obstet Gynaecol 2007;114:1376-9.
12. Alexander JM, Biller BM, Bikkal H, Zervas NT, Arnold A, Klibanski A. Clinically nonfunctioning pituitary tumors are monoclonal in origin. J Clin Invest 1990;86:336-40.
13. Amrhein JA, Meyer WJ III, Jones HW Jr, Migeon CJ. Androgen insensitivity in man: evidence of genetic heterogeneity. Proc Natl Acad Sci USA 1976;73:891-4.
14. Bachmann G, Kemmann E. Prevalence of oligomenorrhea and amenorrhea in a college population. Am J Obstet Gynecol 1982;144:98-102.
15. Badawy A, Goda H, Ragab A. Induction of ovulation in idiopathic premature ovarian failure: a randomized double-blind trial. Reprod Biomed Online 2007;15:215-9.
16. Bakalov VK, Anasti JN, Calis KA, Vanderhoof VH, Premkumar A, Chen S, et al. Autoimmune oophoritis as a mechanism of follicular dysfunction in women with 46,XX spontaneous premature ovarian failure. Fertil Steril 2005;84:958-65.
17. Beck-Peccoz P, Brucker-Davis F, Persani L, Smallridge RC, Weintraub BD. Thyrotropin-secreting pituitary tumors. Endocr Rev 1996;17:610-38.
18. Behera M, Couchman G, Walmer D, Price TM. Mullerian agenesis and thrombocytopenia absent radius syndrome: a case report and review of syndromes associated with Mullerian agenesis. Obstet Gynecol Surv 2005;60:453-61.
19. Berga SL, Daniels TL, Giles DE. Women with functional hypothalamic amenorrhea but not other forms of anovulation display amplified cortisol concentrations. Fertil Steril 1997;67:1024-30.
20. Berga SL, Loucks AB, Rossmanith WG, Kettel LM, Laughlin GA, Yen SS. Acceleration of luteinizing hormone pulse frequency in functional hypothalamic amenorrhea by dopaminergic blockade. J Clin Endocrinol Metab 1991;72:151.
21. Berkovitz GD, Fechner PY, Zacur HW, Rock JA, Snyder HM, Migeon CJ, et al. Clinical and pathologic spectrum of 46,XY gonadal dysgenesis: its relevance to the understanding of sex differentiation. Medicine 1991;70:375-83.
22. Berman JM. Intrauterine adhesions. Seminars Reprod Med 2008; 26: 349-55.
23. Biller BM, Grossman AB, Stewart PM, Melmed S, Bertagna X, Bertherat J, et al. Treatment of adrenocorticotropic-dependent

- Cushing's syndrome: a consensus statement. *J Clin Endocrinol Metab* 2008;93:2454-62
24. Binnerts A, Deurenberg P, Swart GR, Wilson JH, Lamberts SW. Body composition in growth hormone-deficient adults. *Am J Clin Nutr* 1992;55:918-23
  25. Blumenfeld Z. How to preserve fertility in young women exposed to chemotherapy? The role of GnRH agonist cotreatment in addition to cryopreservation of embryos, oocytes, or ovaries. *Oncologist* 2007;12:1044-54.
  26. Bolton JG, Patel S, Lacey JH, White S. A prospective study of changes in bone turnover and bone density associated with regaining weight in women with anorexia nervosa. *Osteoporos Int* 2005;16:1955-62
  27. Bronson FH, Manning JM. The energetic regulation of ovulation: a realistic role for body fat. *Biol Reprod* 1991;44:945-50
  28. Brucker SY, Gegusch M, Zubke W, Rall K, Gauwerky JF, Wallwiener D. Neovagina creation in vaginal agenesis: development of a new laparoscopic Vecchietti-based procedure and optimized instruments in a prospective comparative interventional study in 101 patients. *Fertil Steril* 2008;90:1940-52.
  29. Buttram VC Jr, Gibbons WE. Mullerian anomalies: a proposed classification. *Fertil Steril* 1979;32:40-6.
  30. Castelbaum AJ, Bigdeli H, Post KD, Freedman MF, Snyder PJ. Exacerbation of ovarian hyperstimulation by leuprolide reveals a gonadotroph adenoma. *Fertil Steril* 2002;78:1311-3
  31. Check JH, Nowroozi K, Chase JS, Nazari A, Shapse D, Vaze M. Ovulation induction and pregnancies in 100 consecutive women with hypergonadotropic amenorrhea. *Fertil Steril* 1990;53:811-6.
  32. Chung RT, Misdraji J, Sahani DV. Case records of the Massachusetts General Hospital. Case 33-2006. A 43-year-old man with diabetes, hypogonadism, cirrhosis, arthralgias, and fatigue. *New Engl J Med* 2006;355:1812-9
  33. Comtois R, Bouchard J, Robert F. Hypersecretion of gonadotropins by a pituitary adenoma: pituitary dynamic studies and treatment with bromocriptine in one patient. *Fertil Steril* 1989;52:569-73
  34. Cools M, Stoop H, Kersemaekers AM, Drop SL, Wolffenbuttel KP, Bourguignon JP, et al. Gonadoblastoma arising in undifferentiated gonadal tissue within dysgenetic gonads. *J Clin Endocrinol Metab* 2006;91:2404-13.
  35. Copeland PM, Sacks NR, Herzog DB. Longitudinal follow-up of amenorrhea in eating disorders. *Psychosom Med* 1995;57:121-6
  36. Cramer DW, Goldstein DP, Fraer C, Reitchardt JK. Vaginal agenesis (Mayer-Rokitansky-Kuster-Hauser syndrome) associated with the N314D mutation of galactose-1-phosphate uridylyl transferase (GALT). *Mol Hum Reprod* 1996;2:145-8.
  37. Daneshdoost L, Gennarelli TA, Bashey HM, Savino PJ, Ser-gott RC, Bosley TM, et al. Recognition of gonadotroph adenomas in women. *New Engl J Med* 1991;324:589-94
  38. Davies C, Gibson M, Holt EM, Torrie EPH. Amenorrhoea secondary to endometrial ablation and Asherman's syndrome following uterine artery embolization. *Clin Radiology* 2002;57:317-8.
  39. Di Pasquale E, Rossetti R, Marozzi A, Bodega B, Borgato S, Cavallo L, et al. Identification of new variants of human BMP15 gene in a large cohort of women with premature ovarian failure. *J Clin Endocrinol Metab* 2006;91:1976-9.
  40. Di Sarno A, Landi ML, Marzullo P, Di Somma C, Pivonello R, Cerbone G, et al. The effect of quinagolide and cabergoline, two selective dopamine receptor type 2 agonists, in the treatment of prolactinomas. *Clin Endocrinol* 2000;53:53-60
  41. Djerassi A, Coutifaris C, West VA, Asa SL, Kapoor SC, Pavlou SN, et al. Gonadotroph adenoma in a premenopausal woman secreting follicle-stimulating hormone and causing ovarian hyperstimulation. *J Clin Endocrinol Metab*. 1995;80:591-4
  42. Dokmetas HS, Kilicli F, Korkmaz S, Yonem O. Characteristic features of 20 patients with Sheehan's syndrome. *Gynecol Endocrinol* 2006;22:279-83
  43. Durodoye OM, Mendlovic DB, Brenner RS, Morrow JS. Endocrine disturbances in empty sella syndrome: case reports and review of literature. *Endocr Pract* 2005;11:120-4
  44. Eaton DK, Kann L, Kinchen S, Ross J, Hawkins J, Harris WA, et al. Youth risk behavior Surveillance-United States, 2005. *MMWR Surveill Summ* 2006;55:1-108
  45. Ezzat S, Josse RG. Autoimmune hypophysitis *Trends Endocrinol Metab* 1997;8:74-80
  46. Fahlbusch R, Honegger J, Buchfelder M. Surgical management of acromegaly. *Endocrinol Metab Clin North Am* 1992;21:669-92
  47. Faienza MF, Giordani L, Delvecchio M, Cavallo L. Clinical, endocrine, and molecular findings in 17beta-hydroxysteroid dehydrogenase type 3 deficiency. *J Endocrinol Invest* 2008;31:85-91.
  48. Fedele L, Bianchi S, Frontino G, Ciappina N, Fontana E, Bor-ruto F. Laparoscopic findings and pelvic anatomy in Mayer-Rokitansky-Kuster-Hauser syndrome. *Obstet Gynecol* 2007;109:1111-5.
  49. Fedele L, Bianchi S, Frontino G, Fontana E, Restelli E, Bruni V. The laparoscopic Vecchietti's modified technique in Rokitansky syndrome: anatomic, functional, and sexual long-term results. *Am J Obstet Gynecol* 2008;198:377 e1-6.

50. Fedele L, Bianchi S, Frontino G. Septums and synechia: approaches to surgical correction. *Clin Obstet Gynecol* 2006;49:767-88.
51. Frank RT. The formation of an artificial vagina. *Am J Obstet Gynecol* 1938;35:1053-5.
52. Freda PU, Post KD, Powell JS, Wardlaw SL. Evaluation of disease status with sensitive measures of growth hormone secretion in 60 postoperative patients with acromegaly. *J Clin Endocrinol Metab* 1998;83:3808-16.
53. Freda PU, Wardlaw SL, Post KD. Long-term endocrinological follow-up evaluation in 115 patients who underwent transsphenoidal surgery for acromegaly. *J Neurosurg* 1998;89:353-8.
54. Freda PU, Wardlaw SL, Post KD. Unusual causes of sellar/parasellar masses in a large transsphenoidal surgical series. *J Clin Endocrinol Metab*, 1996;81:3455-9.
55. Frisch RE, Wyshak G, Vincent L. Delayed menarche and amenorrhea in ballet dancers. *New Engl J Med* 1980;303:17-9.
56. Fujimoto VY, Miller JH, Klein NA, Soules MR. Congenital cervical atresia: report of seven cases and review of the literature. *Am J Obstet Gynecol* 1997;177:1419-25.
57. Gell JS. Mullerian anomalies. *Semin Reprod Med* 2003;21:375-88.
58. Gravholt CH, Fedder J, Naeraa RW, Muller J. Occurrence of gonadoblastoma in females with Turner syndrome and Y chromosome material: a population study. *J Clin Endocrinol Metab* 2000;85:3199-202.
59. Gravholt CH. Epidemiological, endocrine and metabolic features in Turner syndrome. *Eur J Endocrinol* 2004;151:657-87.
60. Griffin JE, Edwards C, Ladden JD, Harrod MJ, Wilson JD. Congenital absence of the vagina. *Ann Intern Med* 1976;85:224-36.
61. Griffin JE. Androgen resistance—the clinical and molecular spectrum. *N Engl J Med* 1992;326:611-8.
62. Guerrero NV, Singh RH, Manatunga A, Berry GT, Steiner RD, Elsas LJ. Risk factors for premature ovarian failure in females with galactosemia. *J Pediatr* 2000;137:833-41.
63. Harber VJ, Sutton JR, MacDougall JD, Woolever CA, Bhavnani BR. Plasma concentrations of beta-endorphin in trained eumenorrheic and amenorrheic women. *Fertil Steril* 1997;67:648-53.
64. Herman-Giddens ME, Slora EJ, Wasserman RC, Bourdony CJ, Bhapkar MV, Koch GG, et al. Secondary sexual characteristics and menses in young girls seen in office practice: a study from the Pediatric Research in Office Settings network. *Pediatrics* 1997;99:505-12.
65. Herzog DB, Nussbaum KM, Marmor AK. Comorbidity and outcome in eating disorders. *Psychiatr Clin North Am* 1996;19:843-59.
66. Hjerrild BE, Mortensen KH, Gravholt CH. Turner syndrome and clinical treatment. *Br Med Bull* 2008;86:77-93.
67. Hodgson SF, Randall RV, Holman CB, MacCarty CS. Empty sella syndrome. Report of 10 cases. *Med Clin North Am* 1972;56:897-907.
68. Hoek A, Schoemaker J, Drexhage HA. Premature ovarian failure and ovarian autoimmunity. *Endocr Rev* 1997;18:107.
69. Hoffman B, Bradshaw KD. Delayed puberty and amenorrhea. *Semin Reprod Med* 2003;21(4):353-62.
70. Hotta M, Shibasaki T, Sato K, Demura H. The importance of body weight history in the occurrence and recovery of osteoporosis in patients with anorexia nervosa: evaluation by dual X-ray absorptiometry and bone metabolic markers. *Eur J Endocrinol* 1998;139:276-83.
71. Hudson JI, Hiripi E, Pope HG, Jr., Kessler RC. The prevalence and correlates of eating disorders in the National Comorbidity Survey Replication. *Biol Psychiatry* 2007;61:348-58.
72. Hugh S. Taylor LP, Emre Seli. Amenorrhea. In: Speroff's Clinical Gynecologic Endocrinology and Infertility. Ninth ed. Wolters Kluwer; 2020. 343-94.
73. Ingram JN. The bicycle seat stool in the treatment of vaginal agenesis and stenosis: a preliminary report. *Am J Obstet Gynecol* 1982;140:867-73.
74. Jonathan SB. Berek & Novak's Gynecology. 14th Ed. Philadelphia: Lippincott Williams & Wilkins, 2007.
75. Jones WE. Traumatic intrauterine adhesions. A report of 8 cases with emphasis on therapy. *Am J Obstet Gynecol* 1964;89:304-13.
76. Kalantaridou SN, Braddock DT, Patronas NJ, Nelson LM. Treatment of autoimmune premature ovarian failure. *Hum Reprod* 1999;14:1777-82.
77. Katznelson L, Alexander JM, Bikhal HA, Jameson JL, Hsu DW, Klibanski A. Imbalanced follicle-stimulating hormone beta subunit hormone biosynthesis in human pituitary adenomas. *J Clin Endocrinol Metab* 1992;74:1343-51.
78. Kim TJ, Anasti JN, Flack MR, Kimzey LM, Defensor RA, Nelson LM. Routine endocrine screening for patients with karyotypically normal spontaneous premature ovarian failure. *Obstet Gynecol* 1997;89:777.
79. King JT Jr., Justice AC, Aron DC. Management of incidental pituitary microadenomas: a cost-effectiveness analysis. *J Clin Endocrinol Metab* 1997;82:3625-32.
80. Kondoh Y, Uemura T, Murase M, Yokoi N, Ishikawa M, Hiraehara F. A longitudinal study of disturbances of the hypothalamic-pituitary-adrenal axis in women with progesterone-negative functional hypothalamic amenorrhea. *Fertil Steril*

- 2001;76:748-52
81. Koyama H, Wada T, Nishizawa Y, Iwanaga T, Aoki Y. Cyclophosphamide-induced ovarian failure and its therapeutic significance in patients with breast cancer. *Cancer* 1977;39:1403-9.
  82. Lado-Abeal J, Rodriguez-Arnao J, Newell-Price JD, Perry LA, Grossman AB, Besser GM, et al. Menstrual abnormalities in women with Cushing's disease are correlated with hypercortisolemia rather than raised circulating androgen levels. *J Clin Endocrinol Metab* 1998;83:3083-8
  83. Landis CA, Masters SB, Spada A, Pace AM, Bourne HR, Vallar L. GTPase inhibiting mutations activate the alpha chain of Gs and stimulate adenylyl cyclase in human pituitary tumours. *Nature* 1989;340:692-6
  84. Laughlin GA, Dominguez CE, Yen SS. Nutritional and endocrine-metabolic aberrations in women with functional hypothalamic amenorrhea. *J Clin Endocrinol Metab* 1998;83:25-32
  85. Laughlin GA, Yen SS. Hypoleptinemia in women athletes: absence of a diurnal rhythm with amenorrhea. *J Clin Endocrinol Metab* 1997;82:318-21
  86. Layman LC, McDonough PG, Cohen DP, Maddox M, Tho SP, Reindollar RH. Familial gonadotropin-releasing hormone resistance and hypogonadotropic hypogonadism in a family with multiple affected individuals. *Fertil Steril* 2001;75:1148.
  87. Legouis R, Hardelin JP, Levilliers J, Clavier JM, Compain S, Wunderle V, et al., The candidate gene for the X-linked Kallmann syndrome encodes a protein related to adhesion molecules. *Cell* 1991;67:423-35
  88. Lewis AS, Courtney CH, Atkinson AB. All patients with 'idiopathic' hypopituitarism should be screened for hemochromatosis. *Pituitary* 2009;12:273-5
  89. Lim YH, Ng SP, Jamil MA. Imperforate hymen: report of an unusual familial occurrence. *J Obstet Gynaecol Res* 2003;29:399-401.
  90. Lin D, Sugawara T, Strauss JF, 3rd, Clark BJ, Stocco DM, Saenger P, et al. Role of steroidogenic acute regulatory protein in adrenal and gonadal steroidogenesis. *Science* 1995;267:1828-31.
  91. Loucks AB, Thuma JR. Luteinizing hormone pulsatility is disrupted at a threshold of energy availability in regularly menstruating women. *J Clin Endocrinol Metab* 2003;88:297-311
  92. Lussiana C, Guani B, Mari C, Restagno G, Massobrio M, Revelli A. Mutations and polymorphisms of the FSH receptor (FSHR) gene: clinical implications in female fecundity and molecular biology of FSHR protein and gene. *Obstet Gynecol Surv* 2008;63:785-95.
  93. Manuel M, Katayama KP, Jones Jr HW. The age of occurrence of gonadal tumors in intersex patients with a Y chromosome. *Am J Obstet Gynecol* 1976;124:293.
  94. Amenorrhea. In : Marc AF, Leon S. *Clinical Gynecologic Endocrinology and Infertility*. 8th Ed. Philadelphia: Lippincott Williams & Wilkins, 2011. p.435-94
  95. Martin KA, Hall JE, Adams JM, Crowley WF, Jr. Comparison of exogenous gonadotropins and pulsatile gonadotropin-releasing hormone for induction of ovulation in hypogonadotropic amenorrhea. *J Clin Endocrinol Metab* 1993;77:125.
  96. Massad-Costa AM, da Silva ID, Affonso R, Soares JM, Jr., Nunes MG, de Lima GR, et al. Gene analysis in patients with premature ovarian failure or gonadal dysgenesis: a preliminary study. *Maturitas* 2007;57:399-404.
  97. Matthews CH, Borgato S, Beck-Peccoz P, Adams M, Tone Y, Gambino G, et al. Primary amenorrhoea and infertility due to a mutation in the beta-subunit of follicle-stimulating hormone. *Nat Genet* 1993;5:83-6.
  98. Mayer LE, Roberto CA, Glasofer DR, Etu SF, Gallagher D, Wang J, et al. Does percent body fat predict outcome in anorexia nervosa? *Am J Psychiatry* 2007;164:970-2
  99. McDermott JH, Walsh CH. Hypogonadism in hereditary hemochromatosis. *J Clin Endocrinol Metab* 2005;90:2451-5
  100. McIndoe A. The treatment of congenital absence and obliterative condition of the vagina. *Br J Plast Surg* 1950;2:254-67.
  101. Medlej R, Lobaccaro JM, Berta P, Belon C, Leheup B, Toubanc JE, et al. Screening for Y-derived sex determining gene SRY in 40 patients with Turner syndrome. *J Clin Endocrinol Metab* 1992;75:1289-92.
  102. Melmed S. Medical progress: Acromegaly. *New Engl J Med* 2006; 355): 2558-73
  103. Miller KK, Grinspoon SK, Ciampa J, Hier J, Herzog D, Klibanski A. Medical findings in outpatients with anorexia nervosa. *Arch Intern Med* 2005;165:561-6
  104. Miller KK, Lee EE, Lawson EA, Misra M, Minihan J, Grinspoon SK, et al. Determinants of skeletal loss and recovery in anorexia nervosa. *J Clin Endocrinol Metab* 2006;91:2931-7
  105. Molitch ME, Russell EJ. The pituitary " incidentaloma" . *Ann Intern Med* 1990;112:925-31
  106. Morice P, Thiam-Ba R, Castaigne D, Haie-Meder C, Gerbaulet A, Pautier P, et al. Fertility results after ovarian transposition for pelvic malignancies treated by external irradiation or brachytherapy. *Hum Reprod* 1998;13:660-3.
  107. Murata Y, Ando H, Nagasaka T, Takahashi I, Saito K, Fukugaki H, et al. Successful pregnancy after bromocriptine therapy in an anovulatory women complicated with ovarian hyperstimulation caused by follicle-stimulating hormone-producing plurihomonal pituitary microadenoma. *J Clin En-*

- docrinol Metab, 2003;88:1988-93
108. Nakamura S, Douchi T, Oki T, Ijuin H, Yamamoto S, Nagata Y. Relationship between sonographic endometrial thickness and progesterin-induced withdrawal bleeding. *Obstet Gynecol* 1996;87:722-5.
  109. Orhue AA, Aziken ME, Igbefoh JO. A comparison of two adjunctive treatments for intrauterine adhesions following lysis. *Int J Gynaecol Obstet* 2003;82:49-56.
  110. Paris F, Philibert P, Lumbroso S, Baldet P, Charvet JP, Galifer RB, et al. Primary amenorrhea in a 46,XY adolescent girl with partial gonadal dysgenesis: identification of a new SRY gene mutation. *Fertil Steril* 2007;88:1437 e21-5.
  111. Pasquino AM, Passeri F, Pucarelli I, Segni M, Municchi G. Spontaneous pubertal development in Turner's syndrome. Italian Study Group for Turner's Syndrome. *J Clin Endocrinol Metab* 1997;82:1810-3.
  112. Perkins RB, Hall JE, Martin KA. Neuroendocrine abnormalities in hypothalamic amenorrhea: pectrum, stability, and response to neurotransmitter modulation. *J Clin Endocrinol Metab* 1999;84:1905-11
  113. Pettersson F, Fries H, Nillius SJ. Epidemiology of secondary amenorrhea. I. Incidence and prevalence rates. *Am J Obstet Gynecol* 1973;117:80-6.
  114. Plante BJ, Fritz MA. A case report of successful pregnancy in a patient with pure 46,XY gonadal dysgenesis. *Fertil Steril* 2008;90:2015 e1-2.
  115. Polasek PM, Erickson LD, Stanhope CR. Transverse vaginal septum associated with tubal atresia. *Mayo Clin Proc* 1995;70:965-8.
  116. Prueitt RL, Ross JL, Zinn AR. Physical mapping of nine Xq translocation breakpoints and identification of XPNPEP2 as a premature ovarian failure candidate gene. *Cytogenet Cell Genet* 2000;89:44.
  117. Rarick LD, Shangold MM, Ahmed SW. Cervical mucus and serum estradiol as predictors of response to progestin challenge. *Fertil Steril*. 1990;54:353-5.
  118. Rebar RW, Connolly HV. Clinical features of young women with hypergonadotropic amenorrhea. *Fertil Steril* 1990;53:804-10.
  119. Reindollar RH, Novak M, Tho SP, McDonough PG. Adult-onset amenorrhea: a study of 262 patients. *Am J Obstet Gynecol* 1986;155:531-43.
  120. Reindollar RM, Byrd JR, McDonough PG. Delayed sexual development: a study of 252 patients. *Am J Obstet Gynecol* 1981;140:371-80.
  121. Reinhold C, Hricak H, Forstner R, Ascher SM, Bret PM, Meyer WR, et al. Primary amenorrhea: evaluation with MR imaging. *Radiology* 1997;203:383-90.
  122. Rickenlund A, Carlstrom K, Ekblom B, Brismar TB, Von Schoultz B, Hirschberg AL. Effects of oral contraceptives on body composition and physical performance in female athletes. *J Clin Endocrinol Metab* 2004;89:4364-70
  123. Rock JA. Anomalous development of the vagina. *Semin Reprod Endocrinol* 1986;4:1-28.
  124. Rock JA, Zacur HA, Diugi AM, Jones HW Jr, TeLinde RW. Pregnancy success following surgical correction of imperforate hymen and complete transverse vaginal septum. *Obstet Gynecol* 1982;59:448-51.
  125. Saeger W. Pituitary tumors: prognostic indicators. *Endocrine* 2005;28:57-66
  126. Saenger P, Wikland KA, Conway GS, Davenport M, Gravholt CH, Hintz R, et al. Recommendations for the diagnosis and management of Turner syndrome. *J Clin Endocrinol Metab* 2001;86:3061-9.
  127. Sagi L, Zuckerman-Levin N, Gawlik A, Ghizzoni L, Buyukgebiz A, Rakover Y, et al. Clinical significance of the parental origin of the X chromosome in Turner syndrome. *J Clin Endocrinol Metab* 2007;92:846-52.
  128. Sanchez-Moreno I, Canto P, Munguia P, de Leon MB, Cisneros B, Vilchis F, et al. DNA binding activity studies and computational approach of mutant SRY in patients with 46, XY complete pure gonadal dysgenesis. *Mol Cell Endocrinol* 2009;299:212-8.
  129. Sanno N, Oyama K, Tahara S, Teramoto A, Kato Y. A survey of pituitary incidentaloma in Japan. *Eur J Endocrinol* 2003;149:123-7
  130. Sauer MV, Kavic SM. Oocyte and embryo donation 2006: reviewing two decades of innovation and controversy. *Reprod Biomed Online* 2006;12:153-62.
  131. Schoemaker MJ, Swerdlow AJ, Higgins CD, Wright AF, Jacobs PA. Mortality in women with Turner syndrome in Great Britain: a national cohort study. *J Clin Endocrinol Metab* 2008;93:4735-42.
  132. Sheehan HL. Postpartum necrosis of the anterior pituitary. *Ir J Med Sci* 1948;270:241-55
  133. Simpson JL. Genetic and phenotypic heterogeneity in ovarian failure: overview of selected candidate genes. *Ann N Y Acad Sci* 2008;1135:146-54.
  134. Soares SR, Barbosa dos Reis MM, Camargos AF. Diagnostic accuracy of sonohysterography, transvaginal sonography, and hysterosalpingography in patients with uterine cavity diseases. *Fertil Steril* 2000;73:406-11.
  135. Socin HV, Chanson P, Delemer B, Tabarin A, Rohmer V, Mockel J, et al. The changing spectrum of TSH-secreting pi-

- tuitary adenomas: diagnosis and management in 43 patients. *Eur J Endocrinol* 2003;148:433-42
136. Speroff L, Levin RM, Haning Jr RV, Kase NG. A practical approach for the evaluation of women with abnormal polytomography or elevated prolactin levels. *Am J Obstet Gynecol* 1979;135:896-906
137. Steinhausen HC. The outcome of anorexia nervosa in the 20th century. *Am J Psychiatry* 2002;159:1284-93
138. Strokosch GR, Friedman AJ, Wu SC, Kamin M. Effects of an oral contraceptive (norgestimate/ethinyl estradiol) on bone mineral density in adolescent females with anorexia nervosa: a double-blind, placebo-controlled study. *J Adolesc Health* 2006;39:819-27
139. Strubbe EH, Willemsen WN, Lemmens JA, Thijn CJ, Roland R. Mayer-Rokitansky-Kuster-Hauser syndrome: distinction between two forms based on excretory urographic, sonographic, and laparoscopic findings. *Am J Roentgenol* 1993;160:331-4.
140. Surrey ES, Cedars MI. The effect of gonadotropin suppression on the induction of ovulation in premature ovarian failure patients. *Fertil Steril* 1989;52:36-41.
141. Tan Y, Bennett MJ. Urinary catheter stent placement for treatment of cervical stenosis. *Aust N Z J Obstet Gynaecol* 2007;47:406-9.
142. Tartagni M, Cicinelli E, De Pergola G, De Salvia MA, Lavoipa C, Loverro G. Effects of pretreatment with estrogens on ovarian stimulation with gonadotropins in women with premature ovarian failure: a randomized, placebo-controlled trial. *Fertil Steril* 2007;87:858-61.
143. Tashiro H, Katabuchi H, Ohtake H, Kaku T, Ushio Y, Okamura H. A follicle-stimulating hormone-secreting gonadotroph adenoma with ovarian enlargement in a 10-year-old girl. *Fertil Steril* 1999;72:158-60
144. The Practice Committee of the American Society for Reproductive Medicine. Current evaluation of amenorrhea. Birmingham, Alabama. *Fertil Steril* 2008;90:S219-25.
145. Thodou E, Asa SL, Kontogeorgos G, Kovacs K, Horvath E, Ezzat S. Clinical case seminar: lymphocytic hypophysitis: clinicopathological findings. *J Clin Endocrinol Metab* 1995;80:2302-11
146. Tommaselli AP, Valentino R, Savastano S, Randazzo G, Scalfi L, Contaldo F, et al. Altered glycosylation of pituitary gonadotropins in anorexia nervosa: an alternative explanation for amenorrhea. *Eur J Endocrinol* 1995;132:450.
147. Troche V, Hernandez E. Neoplasia arising in dysgenetic gonads. *Obstet Gynecol Survey* 1986;41:74.
148. Uhlenhaut NH, Treier M. Foxl2 function in ovarian development. *Mol Genet Metab* 2006;88:225-34.
149. Van Kasteren YM, Schoemaker J. Premature ovarian failure: a systematic review on therapeutic interventions to restore ovarian function and achieve pregnancy. *Hum Reprod Update* 1999;5:483-92.
150. Vecchiotti G. Creation of an artificial vagina in Rokitansky-Kuster-Hauser syndrome. *Attual Ostet Ginecol* 1965;11:131-47.
151. Verges B, Boureille F, Goudet P, Murat A, Beckers A, Sassoilas G, et al. Pituitary disease in MEN type 1 (MEN1): data from the France-Belgium MEN1 multicenter study. *J Clin Endocrinol Metab* 2002;87:457-65
152. Vlotides G, Eigler T, Melmed S. Pituitary tumor-transforming gene: physiology and implications for tumorigenesis. *Endocr Rev* 2007;28:165-86
153. Wabrek AJ, Millard PR, Wilson Jr WB, Pion RJ. Creation of a neovagina by the Frank nonoperative method. *Obstet Gynecol* 1971;37:408-13.
154. Warren MP, Brooks-Gunn J, Fox RP, Holderness CC, Hyle EP, Hamilton WG. Osteopenia in exercise-associated amenorrhea among ballet dancers as a model: a longitudinal study. *J Clin Endocrinol Metab* 2002;87:3162-8
155. Warren MP, Miller KK, Olson WH, Grinspoon SK, Friedman AJ. Effects of an oral contraceptive (norgestimate/ethinyl estradiol) on bone mineral density in women with hypothalamic amenorrhea and osteopenia: an open-label extension of a double-blind, placebo-controlled study. *Contraception* 2005;72:206-11
156. Warren MP, Perloth NE. The effects of intense exercise on the female reproductive system. *J Endocrinol* 2001;170:3-11
157. Warren MP, Voussoughian F, Geer EB, Hyle EP, Adberg CL, Ramos RH. Functional hypothalamic amenorrhea: hypoleptinemia and disordered eating. *Clin Endocrinol Metab* 1999;84:873-7
158. Webb SM, Rigla M, Wagner A, Oliver B, Bartumeus F. Recovery of hypopituitarism after neurosurgical treatment of pituitary adenomas. *J Clin Endocrinol Metab* 1999;84:3696-700
159. Welt CK, Chan JL, Bullen J, Murphy R, Smith P, DePaoli AM, et al. Recombinant human leptin in women with hypothalamic amenorrhea. *New Engl J Med* 2004;351:987-97
160. Welt CK. Autoimmune oophoritis in the adolescent. *Ann NY Acad Sci* 2008;1135:118.
161. Welt CK. Primary ovarian insufficiency: a more accurate term for premature ovarian failure. *Clin Endocrinol (Oxf)* 2008;68:499-509.
162. Williams EA. Uterovaginal agenesis. *Ann R Coll Surg Engl*

- 1976;58:266-77.
163. Williams NI, Helmreich DL, Parfitt DB, Caston-Balderrama A, Cameron JL. Evidence for a causal role of low energy availability in the induction of menstrual cycle disturbances during strenuous exercise training, *J Clin Endocrinol Metab* 2001;86:5184-93
  164. Wittenberger MD, Hagerman RJ, Sherman SL, McConkie-Rosell A, Welt CK, Rebar RW, et al. The FMR1 premutation and reproduction, *Fertil Steril* 2007;87:456-65.
  165. Yen AW, Fancher TL, Bowlus CL. Revisiting hereditary hemochromatosis: current concepts and progress. *Am J Med* 2006;119:391-9
  166. Yu D, Wong YM, Cheong Y, Xia E, Li TC. Asherman syndrome-one century later, *Fertil Steril* 2008;89:759-79.
  167. Zargar AH, Singh B, Laway BA, Masoodi SR, Wani AI, Bashir MI. Epidemiologic aspects of postpartum pituitary hypofunction (Sheehan's syndrome). *Fertil Steril* 2005;84:523-8