

 참고 문헌

1. 이종원, 김현철, 장성운, 강석호, 오영란, 석현하 등. 자궁 동정맥 기형에서 경동맥 색전술 치료 2예. *대한산부회지* 2005;48:1468-73.
2. Abou-Setta AM, Mansour RT, Al-Inany HG, Aboulghar MM, Aboulghar MA, Serour GI. Among women undergoing embryo transfer, is the probability of pregnancy and live birth improved with ultrasound guidance over clinical touch alone- A systemic review and meta-analysis of prospective randomized trials. *Fertil Steril* 2007;88:333-41.
3. Balen AH, Laven JS, Tan SL, Dewailly D. Ultrasound assessment of the polycystic ovary: international consensus definitions. *Hum Reprod Update* 2003;9:505-14.
4. Bezircioglu I, Baloglu A, Cetinkaya B, Yigit S, Oziz E. The diagnostic value of the Doppler ultrasonography in distinguishing the endometrial malignancies in women with postmenopausal bleeding. *Arch Gynecol Obstet* 2011;8:[Epub ahead of print]
5. Breckenridge JW, Kurtz AB, Ritchie WG, Macht EL, Jr. Postmenopausal uterine fluid collection: indicator of carcinoma. *AJR Am J Roentgenol* 1982;139:529-34.
6. Bree RL, Edwards M, Bohm-Velez M, Beyler S, Roberts J, Mendelson EB. Transvaginal sonography in the evaluation of normal early pregnancy: correlation with HCG level. *Am J Roentgenol* 1989;153:75-9.
7. Callen PW. *Ultrasonography in obstetrics and gynecology*. 5th ed. Philadelphia: Saunders elsevier; 2008. p794-806.
8. Comerchi JT, Jr., Licciardi F, Bergh PA, Gregori C, Breen JL. Mature cystic teratoma: a clinicopathologic evaluation of 517 cases and review of the literature. *Obstet Gynecol* 1994;84:22-8.
9. Daya S, Woods S, Ward S, Lappalainen R, Caco C. Early pregnancy assessment with transvaginal ultrasound scanning. *CMAJ* 1991;144:441-6.
10. De Geyter C, Schmitter M, De Geyter M, Nieschlag E, Holzgreve W, Schneider HP. Prospective evaluation of the ultrasound appearance of the endometrium in a cohort of 1,186 infertile women. *Fertil Steril* 2000;73:106-13.
11. de Kroon CD, Hiemstra E, Trimbos JB, Jansen FW. Power Doppler area in the diagnosis of endometrial cancer. *Int J Gynecol Cancer* 2010;20:1160-5.
12. Deichert U, Hackeloer BJ, Daume E. The sonographic and endocrinologic evaluation of the endometrium in the luteal phase. *Hum Reprod* 1986;1:219-22.
13. Demas BE, Hricak H, Jaffe RB. Uterine MR imaging: effects of hormonal stimulation. *Radiology* 1986;159:123-6.
14. Dietterich C, Check JH, Choe JK, Nazari A, Lurie D. Increased endometrial thickness on the day of human chorionic gonadotropin injection does not adversely affect pregnancy or implantation rates following in vitro fertilization-embryo transfer. *Fertil Steril* 2002;77:781-6.
15. Doppler C. Uber das farbige Licht der Dopplersterne und eini-granderer Gestirne des Himmels. *Royal Bohemian Society* 1842;2:465.
16. Exacoustos C, Di Giovanni A, Szabolcs B, Binder-Reisinger H, Gabardi C, Arduini D. Automated sonographic tubal patency evaluation with three-dimensional coded contrast imaging (CCI) during hysterosalpingo-contrast sonography(HyCoSy). *Ultrasound obstet* 2009;34:609-12.
17. Fedele L, Bianchi S, Dorta M, Brioschi D, Zanotti F, Vercellini P. Transvaginal ultrasonography versus hysteroscopy in the diagnosis of uterine submucous myomas. *Obstet Gynecol* 1991;77:745-48.
18. Fleischer AC, Andreotti RF. Color Doppler sonography in obstetrics and gynecology. *Expert Rev Med Devices* 2005;2:605-11.

19. Fleischer AC, Herbert CM, 3rd, Hill GA, Kepple DM. Transvaginal sonography: applications in infertility. *Semin Ultrasound CT MR* 1990;11:71-81.
20. Fleischer AC, Kalemeris GC, Machin JE, Entman SS, James AE, Jr. Sonographic depiction of normal and abnormal endometrium with histopathologic correlation. *J Ultrasound Med* 1986;5:445-52.
21. Fleischer AC, Shappell HW. Color Doppler sonohysterography of endometrial polyps and submucosal fibroids. *J Ultrasound Med* 2003;22:601-4.
22. Fleischer AC. Recent advances in the sonographic assessment of vascularity and blood flow in gynecologic conditions. *Am J Obstet Gynecol* 2005;193:294-301.
23. Friedler S, Schenker JG, Herman A, Lewin A. The role of ultrasonography in the evaluation of endometrial receptivity following assisted reproductive treatments: a critical review. *Hum Reprod Update* 1996;2:323-35.
24. Giorlandino C, Gleicher N, Nanni C, Vizzone A, Gentili P, Taramanni C. The sonographic picture of endometrium in spontaneous and induced cycles. *Fertil Steril* 1987;47:508-11.
25. Goldstein SR, Horii SC, Snyder JR, Raghavendra BN, Subramanyam B. Estimation of nongravid uterine volume based on a nomogram of gravid uterine volume: its value in gynecologic uterine abnormalities. *Obstet Gynecol* 1988;72:86-90.
26. Goldstein SR, Wolfson R. Endovaginal ultrasonographic measurement of early embryonic size as a means of assessing gestational age. *J Ultrasound Med* 1994;13:27-31.
27. Goldstein SR. Significance of cardiac activity on endovaginal ultrasound in very early embryos. *Obstet Gynecol* 1992;80:670-2.
28. Granberg S, Wikland M, Karlsson B, Norstrom A, Friberg LG. Endometrial thickness as measured by endovaginal ultrasonography for identifying endometrial abnormality. *Am J Obstet Gynecol* 1991;164:47-52.
29. Huchon C, Fauconnier A. Adnexal torsion: a literature review. *Eur J Obstet Gynecol Reprod Biol* 2010;150:8-12.
30. Jain KA, Hamper UM, Sanders RC. Comparison of transvaginal and transabdominal sonography in the detection of early pregnancy and its complications. *AJR Am J Roentgenol* 1988;151:1139-43.
31. Jain KA, Jeffrey RB, Jr., Sommer FG. Gynecologic vascular abnormalities: diagnosis with Doppler US. *Radiology* 1991;178:549-51.
32. Kratochwil A. [A new vaginal method of ultrasonotomography]. *Geburtshilfe Frauenheilkd* 1969;29:379-85.
33. Kupesic S, Bekavac I, Bjelos D, Kurjak A. Assessment of endometrial receptivity by transvaginal color Doppler and three-dimensional power Doppler ultrasonography in patients undergoing in vitro fertilization procedures. *J Ultrasound Med* 2001;20:125-34.
34. La Torre R, De Felice C, De Angelis C, Coacci F, Mastrone M, Cosmi EV. Transvaginal sonographic evaluation of endometrial polyps: a comparison with two dimensional and three dimensional contrast sonography. *Clin Exp Obstet Gynecol* 1999;26:171-3.
35. Lande IM, Hill MC, Cosco FE, Kator NN. Adnexal and cul-de-sac abnormalities: transvaginal sonography. *Radiology* 1988;166:325-32.
36. McCarthy KA, Hall DA, Kopans DB, Swann CA. Postmenopausal endometrial fluid collections: always an indicator of malignancy-J Ultrasound Med 1986;5:647-9.
37. Mendelson EB, Bohm-Velez M, Joseph N, Neiman HL. Endometrial abnormalities: evaluation with transvaginal sonography. *AJR Am J Roentgenol* 1988;150:139-42.
38. Modesitt SC, Pavlik EJ, Ueland FR, DePriest PD, Kryscio RJ, van Nagell JR, Jr. Risk of malignancy in unilocular ovarian cystic tumors less than 10 centimeters in diameter. *Obstet Gynecol* 2003;102:594-9.
39. Muniz CJ, Fleischer AC, Donnelly EF, Mazer MJ. Three-dimensional color Doppler sonography and uterine artery arteriography of fibroids: assessment of changes in vascularity before and after embolization. *J Ultrasound Med* 2002;21:129-33.
40. Nicolini U, Bellotti M, Bonazzi B, Zamberletti D, Candiani GB. Can ultrasound be used to screen uterine malformations-*Fertil Steril* 1987;47:89-93.
41. Noyes N, Hampton BS, Berkeley A, Licciardi F, Grifo J, Krey L. Factors useful in predicting the success of oocyte donation: a 3-year retrospective analysis. *Fertil Steril* 2001;76:92-7.
42. Noyes N, Liu HC, Sultan K, Schattman G, Rosenwaks Z. Endometrial thickness appears to be a significant factor in embryo implantation in in-vitro fertilization. *Hum Reprod* 1995;10:919-22.
43. Nyberg DA, Laing FC, Filly RA, Uri-Simmons M, Jeffrey RB, Jr. Ultrasonographic differentiation of the gestational sac of early intrauterine pregnancy from the pseudogestational sac of ectopic pregnancy. *Radiology* 1983;146:755-9.
44. Odeh M, Vainerovsky I, Grinin V, Kais M, Ophir E, Bornstein J. Three-dimensional endometrial volume and 3-dimensional power Doppler analysis in predicting endometrial carcinoma and hyperplasia. *Gynecol Oncol* 2007;106:348-53.
45. Ohno M, Maeda T, Matsunobu A. A cytogenetic study of spontaneous abortions with direct analysis of chorionic villi. *Obstet Gynecol* 1991;77:394-8.
46. Opolskiene G, Sladkevicius P, Jokubkiene L, Valentin L.

- Three-dimensional ultrasound imaging for discrimination between benign and malignant endometrium in women with postmenopausal bleeding and sonographic endometrial thickness of at least 4.5 mm. *Ultrasound Obstet Gynecol* 2010;35:94-102.
47. Ozkan S, Vural B, Cali-kan E, Bodur H, T-rk-z E, Vural F. Color Doppler sonographic analysis of uterine and ovarian artery blood flow in women with polycystic ovary syndrome. *J Clin Ultrasound* 2007;35:305-13.
48. Platt JF, Bree RL, Davidson D. Ultrasound of the normal non-gravid uterus: correlation with gross and histopathology. *J Clin Ultrasound* 1990;18:15-9.
49. Polat P, Suma S, Kantarc- M, Alper F, Levent A. Color Doppler US in the evaluation of uterine vascular abnormalities. *Radiographics* 2002;22:47-53.
50. Radman HM, Askin JA, Kolodner LJ. Hydrometrocolpos and hematometocolpos. *Obstet Gynecol* 1966;27:2-6.
51. Raine-Fenning N, Fleischer AC. Clarifying the role of three-dimensional transvaginal sonography in reproductive medicine: an evidenced-based appraisal. *J Exp Clin Assist Reprod* 2005;11:2-18.
52. Revised 2003 consensus on diagnostic criteria and long-term health risks related to polycystic ovary syndrome (PCOS). *Hum Reprod* 2004;19:41-7.
53. Rossavik IK, Torjusen GO, Gibbons WE. Conceptual age and ultrasound measurements of gestational sac and crown-rump length in in vitro fertilization pregnancies. *Fertil Steril* 1988;49:1012-7.
54. Rowling SE, Langer JE, Coleman BG, Nisenbaum HL, Horii SC, Arger PH. Sonography during early pregnancy: dependence of threshold and discriminatory values on transvaginal transducer frequency. *Am J Roentgenol* 1999;172:983-8.
55. Sallam HN, Agameya AF, Rahman AF, Ezzeldin F, Sallam AN. Ultrasound measurement of the uterocervical angle before embryo transfer: a prospective controlled study. *Hum Reprod* 2002;17:1767-72.
56. Sassone AM, Timor-Tritsch IE, Artner A, Westhoff C, Warren WB. Transvaginal sonographic characterization of ovarian disease: evaluation of a new scoring system to predict ovarian malignancy. *Obstet Gynecol* 1991;78:70-6.
57. Schoolcraft WB, Surrey ES, Gardner DK. Embryo transfer: techniques and variables affecting success. *Fertil Steril* 2001;76:863-70.
58. Schulman JD, Dorfmann AD, Jones SL, Pitt CC, Joyce B, Patton LA. Outpatient in vitro fertilization using transvaginal ultrasound-guided oocyte retrieval. *Obstet Gynecol* 1987;69:665-8.
59. Shapiro BS, Cullen M, Taylor KJ, DeCherney AH. Transvaginal ultrasonography for the diagnosis of ectopic pregnancy. *Fertil Steril* 1988;50:425-9.
60. Sharara FI, Lim J, McClamrock HD. Endometrial pattern on the day of oocyte retrieval is more predictive of implantation success than the pattern or thickness on the day of hCG administration. *J Assist Reprod Genet* 1999;16:523-8.
61. Sher G, Herbert C, Maassarani G, Jacobs MH. Assessment of the late proliferative phase endometrium by ultrasonography in patients undergoing in-vitro fertilization and embryo transfer (IVF/ET). *Hum Reprod* 1991;6:232-7.
62. Sundstrom P. Establishment of a successful pregnancy following in-vitro fertilization with an endometrial thickness of no more than 4 mm. *Hum Reprod* 1998;13:1550-2.
63. Teede HJ, Misso ML, Costello MF, Dokras A, Laven J, Moran L, Piltonen T, Norman RJ; International PCOS Network. Recommendations from the international evidence-based guideline for the assessment and management of polycystic ovary syndrome. *Hum Reprod* 2018;33(9):1602-18.
64. The American Fertility Society classifications of adnexal adhesions, distal tubal occlusion, tubal occlusion secondary to tubal ligation, tubal pregnancies, mullerian anomalies and intra-uterine adhesions. *Fertil Steril* 1988;49:944-55.
65. Timor-Tritsch IE, Bar-Yam Y, Elgali S, Rottem S. The technique of transvaginal sonography with the use of a 6.5 MHz probe. *Am J Obstet Gynecol* 1988a;158:1019-24.
66. Timor-Tritsch IE, Farine D, Rosen MG. A close look at early embryonic development with the high-frequency transvaginal transducer. *Am J Obstet Gynecol* 1988b;159:676-81.
67. Togashi K, Ozasa H, Konishi I, Itoh H, Nishimura K, Fujisawa I, et al. Enlarged uterus: differentiation between adenomyosis and leiomyoma with MR imaging. *Radiology* 1989;171:531-4.
68. Valentin L, Hagen B, Tingulstad S, Eik-Nes S. Comparison of 'pattern recognition' and logistic regression models for discrimination between benign and malignant pelvic masses: a prospective cross validation. *Ultrasound Obstet Gynecol* 2001;18:357-65.
69. Welker BG, Gembruch U, Diedrich K, al-Hasani S, Krebs D. Transvaginal sonography of the endometrium during ovum pickup in stimulated cycles for in vitro fertilization. *J Ultrasound Med* 1989;8:549-53.
70. Wilcox AJ, Weinberg CR, O'Connor JF, Baird DD, Schlatterer JP, Canfield RE, et al. Incidence of early loss of pregnancy. *N Engl J Med* 1988;319:189-94.
71. Wu MH, Pan HA, Chang FM. Three-dimensional and power Doppler ultrasonography in infertility and reproductive endocrinology. *Taiwan J Obstet Gynecol* 2007;46:209-14.